



## **Eye Com** ***PrintMaster 10,000***

### **Plain Paper Reader/Printer**

The Eye Com PrintMaster 10,000 offers the ultimate in office efficiency through a wide range of functions, easy operation and compact size. One of the most universal plain paper reader/printers available, the PrintMaster 10,000 can read and print both negative and positive film with a simple cartridge change.

Large 11-3/4" x 11-3/4" screen is ideal for Source and COM images.

In addition to the convenience of bimodal operation in a single unit, the PM 10,000 also provides the option of high speed motorized control for 16mm rollfilm. Advance or rewind film at the rate of 5 ft. per second simply by turning the transport control knob.

The PM 10,000 warms up in only 25 seconds and delivers 8 copies per minute. The large, 250-sheet paper cassette minimizes the need for frequent and time-consuming refills.

Optional zoom lenses, image rotation, border erasure unit, automatic exposure, line trimming unit, motorized control for 16mm rollfilm and manual rollfilm control for 35mm/16mm are also available.

### **Rollfilm attachments available include:**

- Manual, open reel, 16/35mm
- Motorized, open reel, 16mm
- Motorized, open reel, 16/35mm
- Motorized, open reel, 16/35mm with 3M cartridge adapter bracket

- Motorized, semi-automatic threading, dedicated 3M cartridge
- Combo carrier for fiche, 16/35mm open reel rollfilm, and aperture cards.

## Specifications

|                          |  |
|--------------------------|--|
| Format:                  | Accepts both positive and negative film with toner cartridge change.   |
| Screen Size:             | 11-3/4" x 11-3/4", Rear projection (300mm x 300mm)                     |
| Image Rotation:          | 360 degrees prism  |
| Focusing:                | Manual   |
| Print Size:              | A4 or Letter   |
| Warm-Up Time:            | Less than 25 seconds   |
| Time to First Print:     | 10 seconds   |
| Print Speed:             | 8 prints per minute  |
| Multiprint:              | 1 to 9 prints  |
| Consumables:             | Negative Cartridge 20N<br>Film:<br><br>Positive Cartridge 20P<br>Film: |
| Dimensions:              | 27"H x 19"W x 29"D<br>(666mm x 485mm x 729mm)                          |
| Weight:                  | 84 lbs. (38 kg)  |
| Lamp:                    | 20V, 115W halogen lamp   |
| Electrical Requirements: | 120V, 60 Hz  |

| <b>Lenses</b>                    |                 |
|----------------------------------|-----------------|
| Zoom Lens without Image Rotation | 17 - 47X        |
| Zoom Lens with Image Rotation    | 24.5 - 35.5X    |
| Lenses without Image Rotation    | 29X, 33X, 35.5X |

|                               |                                  |
|-------------------------------|----------------------------------|
| Lenses without Image Rotation | 29X, 33X, 35.5X                  |
| Lenses with Image Rotation    | 19X, 23.5X, 33X, 35.5X, 41X, 47X |