



# Canon

**Canon A3 Duplex Colour  
Document Scanner DR-5080C**

## DR5080C

### Canon sets new, **colour**, standard in document imaging

The new DR5080C offers highly productive document imaging of various sizes and thickness, up to and including A3. It also provides an unprecedented scanning speed up to 75 pages per minute, plus automatic feeding and double feed detection up to 500 sheets.

Moreover, in an industry first development, the DR-5080C supports both grey scale and (24 bit) business standard colour scanning. This facility makes it ideal for office and presentation applications such as Excel files with graphs.

Compact and lightweight, the DR-5080C is especially user-friendly thanks to the positioning of the control panel on the product itself. A variety of scanning options are also available, including a barcode unit for automatic indexing, an endorser for "post-stamping" documents and an imprinter for "pre-stamping" documents on the actual digital image.

These and many other assets mean small and medium sized companies stand to particularly benefit from this introduction. Not least because the scanners will offer the most competitive price/performance ratio available in the market today.

With Canon standards of efficiency and accuracy guaranteed, the DR-5080C brings super-fast document imaging technology within reach of every type of organisation and department.

#### Features

- Handles virtually all document sizes right up to A3
- Added advantage of 8-bit greyscale and 24-bit business colour for business graphs or charts
- Fast scanning speed up to 75 pages per minute A4 binary mode at 200 dpi
- Automatic feeder with skew correction and double feed detection up to 500 sheets
- Equipped with ISIS and TWAIN drivers, ideal for a wide range of software applications
- Variety of options available such as an endorser for post-stamping, an imprinter for pre-stamping (by software) and a barcode unit for automatic indexing

#### Technical Specifications

Type	Desktop Document Scanner
Paper Supply	Automatic/Manual
Document Size	Thickness: 0.06 - 0.15mm (manual feed) Length: 70 - 432 mm

	Width: 55 - 295.3 mm
Scanning Speed	Max 75ppm (A4 Binary w/o AE) 200 dpi 100 ipm (A4 or letter/portrait) 200dpi 50ppm (A4 or Letter/portrait)
Maximum Resolution	400dpi
Greyscale	Max. 8-bit
Colour	Max. 24-bit
Feeder Capacity	Approx. 500sheets (80gsm, up to A4/Letter size)
Image Output Format	TIFF
Image Processing Process	Internal board
Hardware Interface	SCSI-2
Software Interface	ISIS™, TWAIN (16/32 bit)
Other Functions	Double feed detection Operation panel Skew correction Automatic paper thickness adjustment
Included	Scanner control sheets
Dimensions (WxHxD)	Approx. 430 x 260 x 500mm
Weight	20 kg
LED Sensor Unit	Green/Black background
Add On Module	DIMM Memory (128 Mbyte) DIMM Memory (64 Mbyte) Imprinter Barcode Decoder Endorser
Software Interface	ISIS™, TWAIN (16/32 bit)
Application Software	DR-Scan